



PACKTASTIC, FANTASTIC FOR PACKING

Packtastic, a Chinese Manufacturer with 25+ years of flexible packing expertise. Based in Dong Guang County, CangZhou City, at the heart of China's flexible industry production zone.

From 2019, Packtastic international trading team has set up and began to seek breakthroughs in the overseas market. The next year began to sell cost-effective packaging products to the American continent in containers. In 2020, due to the COVID-19 spreading, global business environment was growing slowed down. However, Packtastic's trading business is still growing steadily at this stage. During this hard time company still trying to establish a multilingual sales background team, in September 2021, successfully built a core team for cross-border sales.

Packtastic dedicates to help customers supply end-products to mainstream markets of the United States and Europe. With perfect service and excellent quality to help food industry customers pass FDA on-site factory inspection.

To date, Packtastic's products have been exported to 53 countries and regions. We prioritize ultra-high cost performance and problem-solving for our customers, demonstrating our dedication to customer satisfaction and continuous business expansion.

 Malaysia	 Singapore	 Iraq
 U.S.A	 Costa Rica	 India
 Nicaragua	 Australia	 Kazakhstan
 Canada	 Philippines	 Zambia
 Chile	 United Kingdom	 Honduras
 Brazil	 Uganda	 Netherlands
 Israel	 Indonesia	 Hong Kong, China
 Cambodia	 Hawaii	 Bangladesh
 Barbados	 Sri Lanka	 Myanmar
 Trinidad and Tobago	 Italy	 Nigeria
 Republic of Korea	 Cyprus	 Tanzania
 Thailand	 Serbia	 Malta
 Puerto Rico	 Oman	 Yemen
 Saudi Arabia	 Paraguay	
 Mexico	 New Zealand	

TABLE OF CONTENTS


- [Company Overview](#)
- [Factory Location](#)
- [Production Facilities](#)
- [Certification](#)
- [Products Series](#)

Custom Products In Stock Products

- 1.1 Vacuum compressed bag
- 2.1 Transparent vacuum bag·Polyester
- 2.2 Transparent vacuum bag·Nylon
- 2.3 Transparent vacuum bag·Nylon high transmittance
- 2.4 Transparent vacuum bag·Extrusion
- 2.5 Embossed/ Textured vacuum bag
- 2.6 Roll/tube bag
- 3.1 Retort pouch
- 3.2 Co-extrusion Retort pouch
- 3.3 Aluminum foil retort pouch
- 4.1 Rice bag
- 4.2 High transmittance Rice bag
- 4.3 Accessories·Rick bag Moulds
- 5.1 Aluminizing three-side sealing
- 5.2 Aluminizing back clear front bag three-side sealing
- 5.3 Aluminizing back clear front resealable
- 5.4 Aluminizing back clear front stand up
- 6.1 Aluminum foil three-side sealing
- 6.2 Aluminum foil Three-side sealing Round corner
- 6.3 Aluminum foil resealable stand up
- 6.4 Resealable aluminum foil
- 6.5 Aluminum foil flat bottom
- 7.1 Kraft white
- 7.2 Kraft pouch·Clear window
- 7.3 Kraft pouch·Frosty window
- 7.4 Kraft flat bottom
- 8.1 Stand UP·Frosty resealable stand up
- 8.2 Stand UP·PET Resealable stand up pouch
- 8.3 Stand UP·Transparent vacuum bag·CPP
- 9.1 Liquid bag/Spout pouch
- 9.2 Liquid bag·Beer bag
- 9.3 Liquid bag·Bag for living fish
- 9.4 Liquid bag·Bag for fish

- [Warehousing & Packing & Delivery](#)
- [Partners](#)
- [Contact Us](#)

Coming new 20000 m² Factory



Company Overview

Packtastic: Fantastic for Packing!

With 25+ years of flexible packing experience and an experienced international trading team, Packtastic is a reputable industry player.

Our factory, located in Dong Guang County, Cang hou City, known as the core of flexible industry production zone around China, operates with a well-established supporting industrial chain and mature, stable production technology. This ensures that our products are both high-quality and competitively priced. Our professional international trade team is dedicated to overcoming challenges in the international market. Having served 52 countries and regions, we ensure stable and reliable product delivery, minimizing your concerns and providing a smooth and efficient purchasing experience.


Our 20,000m² facility is equipped with 50 fully automatic high-speed bag-making units, 2 of 9-color electronic shaft high-speed computer printers, 8 solvent-free coating machines, 4 film blowing units, 3 sliding shaft slitters, and 1 high-speed offline detection machine. Our main product range includes Vacuum bags, Sous vide bag, Mylar bags, Laminated aluminum bags, Retort bags, Roll films, Special-shaped bags, and Custom printed bags. Utilizing food-grade raw materials, our packaging bags can confidently meet the requirements of industries such as food and medical devices.

We hold ISO, JFSL, BSCI, BRC, FDA, EU, GRS, REACH, ROHS, etc., certificates and registered France LEKO membership certificate and Germany LUCID packaging producer status. Trusted by Fortune 500 companies.

Our approach to the business is not just commercial but also care for and assist customers, that's how we are ever-increasing our business by never failing our customers as we move forward.

Choose Packtastic for dependable packaging solutions!

Factory Location



Packtastic factory is strategically located in Dong Guang County, Hebei Province, at the heart of China's flexible industry production hub in CangZhou.

With over 40 years of experience in the plastic packaging industry, Dong Guang County has garnered prestigious titles such as "China's Famous Packaging County," "China Plastic Packaging Industry Base (Dong Guang)," and "China's Famous Plastic Packaging Town." Renowned as one of China's top four plastic packaging industry clusters, Dong Guang County boasts a comprehensive industrial chain production base. Over the years, it has evolved into a holistic industrial development model integrating plastic packaging machinery manufacturing, raw material supply, injection molding, film blowing, bag manufacturing, printing, and product distribution. It stands out as one of the few comprehensive production bases for plastic packaging in China.

Benefiting from this advantageous supplier chain, Packtastic offers competitive prices without compromising on quality. Leveraging these advantages, Packtastic's trading team stands as one of the leading companies within this thriving industry landscape.

Choose Packtastic as one-stop destination for your packaging solutions.



Nine-color Hi-speed printing machine

Packtastic Packaging is one of the few enterprises who own the Nine-color Hi-speed printing machine in China. The 9-color high-speed printing machine can realize high-precision cylinder alignment. At the same time, high-speed printing is also the solid foundation of customer output.

Landscape, portrait of electronic shaft computer onto cylinder setting, second printing computer auto register, accurate copy and material saving.

Contrary shelf: synchronize both sides printing, print UV Matte oil

Scratching code make your package more ingenious and piratical

First-class online detecting system: ensure the best quality and avoid defective products



Solvent-free compound machine

Advanced Eco-friendly solvent-free compound machine: aluminum foil compound, steam aluminum foil compound, PET/VMPET etc. mature procedure of high resistance products compound make product more environment protecting and safer.



Seven-layer Co-extruded blow film machine

Seven-layer co-extrusion material: oil proof, moisture resistance, low temperature and refrigerant resistance, quality guaranty and fresh-keeping, odor-keeping, high adhesion, strong tensile, low-cost, high strength, low-capacity ratio, flexible structure, wide scope of application



Slip shaft splitting machine

Hi-speed slip shaft splitting machine can cut minimum 5cm roll material, it can be precise and even tension, and low loss.



Constant temperature solidify room

After 24-72 hours solidifying time, the laminated material can have high strength a stable quality.



Automatic bag making machines

- 48 Hi-speed full automatic pouch unit
- 700-type middle sealing machine
- 1400-type three sides sealing pouch machine
- Die cutting procedure
- Zipper pouch machine

Even strange or over size bag can be managed well.



Products inspection

Packtastic has improvement inspection equipment, microscope, tensile test machine, friction coefficient meter, gas chromatography, warm sealing test machine, electrothermal blowing dry box, film impact tester etc. Specialty inspector, improvement quality management system guarantee our products quality.



Offline detection system



High stability, Hi-speed, high precision, maximum detection speed is 300m/min. When width is 1200mm, the minimum detection is 0.15mm. Defect detecting can reach 100% and can cover any type of defects including chromatography, thickness, color cast, printing missing, misting, foreign material etc.




One QR code for one product

Unique identify for your product
 anti-fake tracking, vicarious inventory avoiding.
 Membership points accumulate, QR code lottery
 online to offline flow increasing
 Help you implement dynamic Worth Data marketing.

Certification



Warehousing & Packing & Delivery



Packtastic warehouse

Large storage space for prompt goods. Products of multi-type, multi-category can meet client's any kinds of demand.

Abundant raw material and semi-finished product, all size, all thickness, any kinds of material are kept in stock.

Minimum order quantity of all size can be lower and shipping quickly


Factory Strength

Packtastic packaging has a complete quality management system and ensures that all products comply with ISO22000 food safety management system certification through strict quality control process.


At the same time, Packtastic has a professional after-sales service team to track the whole process of packaging and ensure the purchase experience of every customer




Products Series — Custom Products




Flat bottom Zipper Bag




Side gusset bag




3-side sealed zipper bag




Quad Sealed Zipper Bag




Quad Sealed Bag




3-side sealed bag




stand-up pouch




Flat Bottom Bag



stand-up zipper pouch



Fin sealed gusset bag



Film bag

Custom/Printing Products Purchasing Process



1.Demand Analysis and Pricing

At first, our sales representatives will analyze what your bag application and packaging purpose, then they will suggest you the proper bag type, size, material and quantity, offer you the best solutions or ideas for choosing the right packaging products.

After we understand your full require, delivery method, we will offer you full quotation include everything for you to evaluate the whole cost.

2.Samples

We will offer you free exist samples (shipping fee not included) for you to view the style, applications, material, or we will make you some customized sample for you to fit the size, feel the thickness, check the color result, or do the initial advertise before your products go to the market.

3.Design

After we understand your requirements, we will proof or edit your artwork before we can go forward use your artwork for printing, we will confirm the color with the Pantone code, spot color and special requirement on designs.

4.Production and Delivery

We will do the update on whole production monitor, also report you weekly about the schedule, confirm with you the pickup or delivery time for you to the booking or choose the best shipping date to your door.

5.After-Sales

Once the first order arrived your door and finished the test running, you can feedback us about the products, we could be recorded and understand for your next run or next version' s adjustment, changes or upgrade.

In Stock Products

1.1 Vacuum compressed bag



Width(cm)	Length(cm)	Thickness (microns)
35	50	160
40	60	160
50	70	160
60	70	160
60	80	160
70	100	160
80	100	160

*this size table is the regular size just for reference, actual stock situation is updated each day, specific size and its quantity, price, please consult your sales representative

2.1~2.4 Transparent vacuum bag · Polyester / Nylon/ Nylon high transmittance/ Extrusion




Width (cm)	Length (cm)	Thickness (microns)
8	12	160
13	18	160
13	25	160
13	30	160
13	35	160
14	16	160
15	20	160
15	22	160
15	23	160
15	25	160
16	23	160
16	24	160
16	26	160
17	23	160
17	25	160
18	25	200
18	26	160
18	28	200
18	38	200
20	25	200
20	28	200

Width (cm)	Length (cm)	Thickness (microns)
20	30	200
20	40	160
22	32	160
25	30	200
25	32	200
25	35	220
28	38	200
30	35	200
30	40	200/240
30	45	160
30	50	280
30	68	200
33	48	160
35	40	160
35	45	160/200
35	50	160
38	50	200
39	50	200
40	50	160/200
40	60	160
60	90	160

*Above table is regular size just for reference


2.5 Embossed/ Textured vacuum bag



Width(cm)	Length(cm)	Thickness (microns)
7	10	190
7	12	190
9	13	190
10	15	190
11	40	190
12	17	190
12	20	190
13	18	190
15	20	190
15	25	190
17	25	190
18	25	190
20	25	190/220
20	30	190/220
22	30	190
22	32	190
25	30	190
25	35	190
28	35	190/220
28	40	190/220
30	40	190/220
32	45	190

*Above table is regular size just for reference

2.6 Roll/tube bag



Width(cm)	Length(cm)	Thickness (microns)
10	5	190
12	5	190
15	5	190
17	5	190
20	5	190
22	5	190
25	5	190
28	5	190
30	5	190
32	5	190
34.5	5	190

*Above table is regular size just for reference

3.1 ~3.2 Retort pouch · Regular / Co-extrusion



Width (cm)	Length (cm)	Thickness (microns)	Width (cm)	Length (cm)	Thickness (microns)
6	8	200	18	25	200
7	10	200	18	26	200
9	13	200	18	32	200/240
10	15	200	19	22	200
12	17	200	19	27	200
13	18	200	20	25	200
14	19	200	20	30	200
14	20	200	22	32	200
15	20	200	22	34	240
15	22	200	22	36	240

*Above table is regular size just for reference



Width (cm)	Length (cm)	Thickness (microns)	Width (cm)	Length (cm)	Thickness (microns)
15	25	200	24	32	200
15	30	200	24	34	200
15	35	200	25	30	200
16	18	200	25	35	200
16	22	200	28	38	200/240
16	24	200	28	40	280
16	33	240	30	40	200/240
17	23	200	18	25	240/280
17	24	240	20	30	240/280
17	28	240	25	35	240/280
18	24	200	30	40	240/280

*Above table is regular size just for reference

3.3 Aluminum foil retort pouch



Width (cm)	Length (cm)	Thickness (microns)	Width (cm)	Length (cm)	Thickness (microns)
6	9	200	16	22	220/240
7	10	200	16	24	220/240
8	12	220	17	23	220
9	13	220	17	25	220
10	15	220	18	25	220/240
11	16	220	19	29	220
12	16	240	20	25	220
12	17	200/220/240	20	30	220
13	18	220/240	20	30	240
13	19	220	22	32	220
14	20	240	24	32	220
15	20	220	25	35	200/220/240
15	22	220	28	38	220
16	20	240	30	40	220/300
16	21	220	35	45	220/300

*Above table is regular size just for reference

4.1~ 4.2 Rice bag · Regular / High transmittance



Width (cm)	Gusset	Height (cm)	Thickness (microns)
8	2.5	25	200
8	3	25	200
8	4	30	200
8	5	25	200
8	5	28	200
8	5	29	200
8	6	30	200
8	6	32	200
8	6	35	200
8	6	36	200
9	3	25	200
9	3	26	200
9	3	28	200
9	4	20	200
9	4	25	200
9	4	28	200
9	4	30	200
9	7	38	200
10	5	25	200
10	5	28	200
10	5	29	200
10	5	32	200
10	5	35	200
10	6	31	200
10	6	32	200
10	6	33	200
10	6	34	200
10	6	34	200

Width (cm)	Gusset	Height (cm)	Thickness (microns)
10	6	35	200
10	6	40	200
11	3	28	200
11	3	30	200
11	3	30	200
11	3	38	200
11	5.5	32	200
12	6	32	200
12	6	33	200
12	6	34	200
13	7	30	200
13	7	38	200
13	7	42	200
14	8	40	200
14	8	43	200
15	8	39	200
15	8	43	200
18	6	40	200
18	6	40	200
18	6	42	200
18	6	43	200
23	8	46	200
23	8	48	200
23	8	50	200
24	8	41	200
24	8	46	200
24	8	46	200
24	8	48	200

*Above table is regular size just for reference


4.3 Accessories · Rick bag Moulds



Width (cm)	Height (cm)	Width (cm)	Height (cm)
8.5	4	10	6
8	2.5	12	6
8	3	13	7
8	4	14	8
8	5	14	9
9	3	15	8
9	4	18	6
9	7	24	8
10	5		

*Above table is regular size just for reference

5.1 Aluminizing three-side sealing



Width (cm)	Length (cm)	Thickness (microns)	Width (cm)	Length (cm)	Thickness (microns)
7	10	160	20	30	180
8	12	160	20	30	200
9	13	160	22	23	160
10	15	160	22	32	180
10	15	140	22	32	200
11	16	160	24	32	160
12	17	160	24	32	180
12	17	180	25	35	180
13	18	160	25	35	200
14	20	160	26	36	180
15	20	160	28	38	180
15	22	160	28	38	200
15	25	160	30	40	160
15	28	160	30	40	180
16	22	160	30	40	200
16	23	160	32	42	200
17	23	160	35	48	180
18	25	160	35	50	160
18	25	200	35	50	180
19	25	160			

*Above table is regular size just for reference

5.2 Aluminizing back clear front bag three-side sealing



5.3 Aluminizing back clear front resealable



5.4 Aluminizing back clear front stand up



6.1~ 6.2 Aluminum foil three-side sealing · Regular / Round corner



Width (cm)	Length (cm)	Thickness (microns)	Width (cm)	Length (cm)	Thickness (microns)
5	19	200	25	31	200/240
6	8	200	25	34	220
7	10	200/220	25	35	220/240/260
8	12	200	25	35	32
9	13	200	25	40	220
9	18	200	26	35	220
10	15	200/220	26	36	220
11	16	200/220	28	38	200/220
12	17	200/220	28	38	300
13	18	200/220	28	50	300
14	20	200/220	30	25	300
15	20	200	30	35	240
15	22	200/220	30	38	300
15	22	220	30	40	200/220/240/260
16	22	200/220	30	42	240
16	23	220	30	45	220
16	24	220	35	45	220
18	25	200/220/240	35	50	200
18	26	220	36	48	220
19	26	200/220	37	55	32
20	24	220	38	50	200
20	25	200/220	40	50	200/30
20	28	220	45	60	220
20	30	200/220/260	46	64	280
22	25	200/220	50	70	200/220
22	30	200/220	50	78	220
22	32	200/220/240	50	80	220
24	30	200	55	85	220
24	32	200/220	55	88	240
25	25	240	60	90	220
25	30	200/220/240/320			

*Above table is regular size just for reference

6.3 Aluminum foil resealable stand up



Width(cm)	Height(cm)	Gusset	Thickness (microns)
9	13	3	220/240
10	15	3	220
11	16	3	200/220/240
13	18	4	220/240
14	19	4	220
14	20	4	220
15	22	4	220/240
16	24	4	220
17	24	4	200/240
18	26	4	240
18	31	5	240
20	30	5	240
21	31	5	240
23	35	5	240
26	35	5	240
30	42	6	240
35	50	6	240
35	50	7	240

*Above table is regular size just for reference

6.4 Resealable aluminum foil



Width (cm)	Length (cm)	Thickness (microns)	Width (cm)	Length (cm)	Thickness (microns)
6	8	200	18	31	240
8	15	200/240	20	30	240
10	15	200/220/240	21	31	240
10	50	300	21	35	240
11	16	200/220	22	30	240
12	17	200	23	35	240
13	18	220	24	30	220
13	20	200	26	35	240
14	19	220	28	47	200
14	20	220	30	40	220
15	22	220/240	30	42	240
17	24	220/240	31	32	220
18	26	240			

*Above table is regular size just for reference

6.5 Aluminum foil flat bottom



Width (cm)	Height (cm)	Gusset	Thickness (microns)
10	20	6	220
12	22	6	220
14	24	6	220
16	24	4	240
16	26	8	220
18	28	8	220
20	30	8	220/240
28	18	8	220

*Above table is regular size just for reference

7.1 ~7.4Kraft pouch · white /Clear window / Frosty window



Width (cm)	Height (cm)	Gusset	Thickness (microns)	Width (cm)	Height (cm)	Gusset	Thickness (microns)
9	14	3	320	17	24	4	320
10	15	3	320	18	26	4	280
10	15	4	320	18	26	4	320
12	20	4	320	20	30	4	320
14	20	4	320	20	30	5	280
14	22	4	320	20	30	5	320
15	22	4	280	23	33	5	280
15	22	4	320	23	33	5	320
16	22	4	320	23	35	5	320
16	23	4	280	25	31	5	320
16	23	4	320	25	35	5	320
16	26	4	320	26	35	5	320
17	24	4	280	30	40	5	320

*Above table is regular size just for reference

8.1~8.2 Stand up · Frosty resealable stand up /Frosty window Resealable stand up pouch



Width (cm)	Height (cm)	Gusset	Thickness(microns)
9	15	3	200
10	15	3	200
11	17	3	200
12	19	3	200
13	20	4	200
14	20	4	200
15	20	4	200
15	22	4	200
16	23	4	200
17	23	4	200
17	24	4	200
18	16	4	160
18	23	4	200
18	26	4	200
20	30	5	200/240
24	30	5	200
24	35	5	200/220
25	30	4	200
25	30	5	200

*Above table is regular size just for reference

8.3~8.4 Stand up · Transparent pouch · PET /CPP



Width (cm)	Height (cm)	Gusset	Thickness(microns)
14	20	4	160
15	22	4	160
16	24	4	160
18	26	4	160
20	30	5	160

9.1 ~9.4 Liquid bag · Spout pouch / Beer bag/ Bag for living fish/ Bag for fish



Width (cm)	Height (cm)	Gusset	Thickness(microns)
25	23	5	450
30	28	5.5	450
35	32	8	450
35	32	8	400
41	38	9	450
41	38	9	400

*Above table is regular size just for reference

Partners

Packtastic Packaging is committed to being customer-oriented, providing tailored packaging solutions to meet the unique needs of our clients. To date, Packtastic has served nearly 10,000 merchants and enterprises across various industries. Leveraging our excellent quality and stable supply chain, Packtastic has established long-term strategic partnerships with over half of these cooperative enterprises.

At Packtastic, we firmly believe that adherence to quality and continuous technological innovation are the cornerstones of our collaboration with each customer. We invite you sincerely to join us in creating brilliance together. At Packtastic, we are dedicated to being your reliable partner, always.



*Above illustration is part of Packtastic's partners.



Contact Us



www.packtastic-cn.com (on Decoration...)



<https://packtastic.en.alibaba.com>



Jinzhuang Village, Dongguang Town, Dongguang County,
Cangzhou City, Hebei Province, China 061600



+86 022 5839 0688



Jules Liu



E-mail: jules.liu@packtastic-cn.com



Wechat/WhatsApp/mobile: +86 151 2247 9205



Shane Li



E-mail: Sales@packtastic-cn.com



Wechat/WhatsApp/mobile: +86 166 0046 3095



www.packtastic-cn.com

Packtastic(Tianjin) Technology Development Co., Ltd.

Office: 408, Building 62, Chaoyangli, Guoyuanxincunstreet, Beichen
District, Tianjin City, China 300400

Plant: Jinzhuang Village, Dongguang Town, Dongguang County,
Cangzhou City, Hebei Province, China 061600

Telephone: +86 02226635613